

Certificate of Analysis

Powered by Confident Cannabis 1 of 1

Green CBD


211 Ledyard St., Ste A Hartford, CT 06114 www.greencbd.com

Ingestible, Tincture

5000mg BS Peppermint

Sample: 2012CNS1297.7250

Strain: 5000mg BS Peppermint Lot #: 32820-4Q; Sample Received: 12/14/2020; Report Created: 12/15/2020 Harvest Process Lot: METRC Batch: ; METRC Sample:



ND	5,204.7760 mg/unit	Not Tested	
Total THC	Total CBD	Water Activity	PH

Cannabinoids			Complete	
Analyte	LOD	LOQ	Mass	Mass
	%	%	mg/unit	mg/g
CBDV	0.01100	0.01100	62.1240	2.0040
THCV	0.00890	0.01100	<loq< th=""><th><loq< th=""></loq<></th></loq<>	<loq< th=""></loq<>
CBD	0.03700	0.04700	5204.7760	167.8960
CBG	0.00740	0.01100	22.1340	0.7140
CBDa	0.00860	0.01100	<loq< th=""><th><loq< th=""></loq<></th></loq<>	<loq< th=""></loq<>
CBGa	0.00580	0.01100	<loq< th=""><th><loq< th=""></loq<></th></loq<>	<loq< th=""></loq<>
CBN	0.00370	0.01100	12.5240	0.4040
Δ9-THC	0.00810	0.30000	<loq< th=""><th><loq< th=""></loq<></th></loq<>	<loq< th=""></loq<>
Δ8-THC	0.01000	0.30000	<loq< th=""><th><loq< th=""></loq<></th></loq<>	<loq< th=""></loq<>
CBC	0.00360	0.01100	<loq< th=""><th><loq< th=""></loq<></th></loq<>	<loq< th=""></loq<>
THCa	0.00430	0.30000	<loq< th=""><th><loq< th=""></loq<></th></loq<>	<loq< th=""></loq<>
CBCa	0.00970	0.01100	ND	ND
Total			5301.5580	171.0180

1 Unit = , 31g

Total THC = THCa * $0.877 + \Delta 9$ -THC + $\Delta 8$ -THC. Total CBD = CBDa * 0.877 + CBD. LOQ = Limit of Quantitation; ND = Not Detectable, NR = Not Reported, NT = Not Tested.Cannabinoids analyzed per Canalysis SOP-<math>06/SOP-14 on an Agilent 1220 HPLC-DAD. Unless otherwise stated all quality control samples performed within specifications established by the Laboratory. Notes: Unit wt = 31g

2952 Meade Ave Las Vegas, NV (702) 304-7878 http://www.canalysislab.com



Trevor Low Lab Director Confident Cannabis All Rights Reserved support@confidentcannabis.com (866) 506-5866



This product has been tested by Canalysis Laboratories using valid testing methodologies and a quality system as required by state law. Values reported relate only to the product tested. Canalysis Laboratories makes no claims as to the efficacy, safety or other risks associated with any detected or non-detected levels of any compounds reported herein. This Certificate shall not be reproduced except in full, without the written approval of Canalysis Laboratories.