

Strawberry

 Sample ID: SA-08162021-3372
 Batch: 210709FS
 Type: In-Process Materials
 Matrix: Edible - Gummy

 Received: 08/18/2021
 Completed: 08/24/2021


Summary

 Test
 Cannabinoids


 Date Tested
 08/24/2021

 Status
 Tested

Cannabinoids by HPLC-PDA and GC-MS/MS

0.194 %	0.250 %	0.458 %	Not Tested	Not Tested	Yes
Total Δ9-THC	CBD	Total Cannabinoids	Moisture Content	Foreign Matter	Internal Marker Recovered

Analyte	LOD (%)	LOQ (%)	Result (%)	Result (mg/unit)
CBC	0.00009	0.00028	ND	ND
CBCA	0.00018	0.00054	ND	ND
CBCV	0.00006	0.00018	ND	ND
CBD	0.00008	0.00024	0.24998	11.9525
CBDA	0.00004	0.00013	ND	ND
CBDV	0.00006	0.00018	0.00126	0.06025
CBDVA	0.00002	0.00006	ND	ND
CBG	0.00006	0.00017	ND	ND
CBGA	0.00005	0.00015	ND	ND
CBL	0.00011	0.00033	ND	ND
CBLA	0.00012	0.00037	ND	ND
CBN	0.00006	0.00017	0.00027	0.01291
CBNA	0.00006	0.00018	ND	ND
Δ8-THC	0.0001	0.00031	0.01139	0.5446
Δ9-THC	0.00008	0.00023	0.19436	9.29311
Δ9-THCA	0.00008	0.00025	ND	ND
Δ9-THCV	0.00007	0.00021	0.00115	0.05499
Δ9-THCVA	0.00006	0.00019	ND	ND
Total Δ9-THC			0.19436	9.29311
Total CBD			0.24998	11.9525
Total			0.45841	21.9184



ND = Not Detected; NT = Not Tested; LOD = Limit of Detection; LOQ = Limit of Quantitation; RL = Reporting Limit; Δ = Delta; Total Δ9-THC = Δ9-THCA * 0.877 + Δ9-THC; Total CBD = CBDA * 0.877 + CBD;



08/24/2021

This product or substance has been tested by KCA Laboratories using validated testing methodologies and an ISO/IEC 17025:2017 accredited quality system. Values reported relate only to the product or substance tested. The reported result is based on a sample weight. Unless otherwise stated, results of tests performed on all quality control samples met criteria for acceptance established by KCA Laboratories. KCA Laboratories makes no claims as to the efficacy, safety or other risks associated with any detected or non-detected amounts of any substances reported herein. This Certificate of Analysis shall not be reproduced except in full, without the written approval of KCA Laboratories. KCA Laboratories can provide measurement uncertainty upon request.

